


## Week in Review Math 152

### Week 10

Alternating series
Absolute Convergence and the Ratio Test

+/- terms but Not alternating

⇒ Absolute convergence




Explain why following two series do NOT converge

1. 
$$\sum_{n=1}^{\infty} \frac{n}{n+1}$$


2. 
$$\sum_{n=1}^{\infty} (-1)^n$$

$$3. \quad \sum_{n=1}^{\infty} \frac{1}{e^{1/n}}$$



Evaluate  $\sum_{n=1}^{\infty} \frac{1}{e^n}$ 

+/- terms but Not alternating




#### **Evaluate**

1. 
$$\sum_{n=1}^{\infty} \frac{1}{e^n}$$

$$2. \sum_{n=1}^{\infty} \frac{5}{2^{n-1}}$$

+/- terms but Not alternating



**Evaluate** 


$$1. \sum_{n=1}^{\infty} \frac{1}{n}$$

$$2. \sum_{n=1}^{\infty} \frac{5}{n^{1.1}}$$

+/- terms but Not alternating

+/- terms but Not alternating


⇒ Absolute convergence



#### **Evaluate**

1. 
$$\sum_{n=1}^{\infty} \left[ \cos \left( \frac{1}{n} \right) - \cos \left( \frac{1}{n+1} \right) \right]$$

$$2. \sum_{n=1}^{\infty} \left[ \ln \left( \frac{1}{n} \right) - \ln \left( \frac{1}{n+1} \right) \right]$$



**Evaluate** 

$$\sum_{n=2}^{\infty} \frac{1}{n \ln n}$$

+/- terms but Not alternating

### **Definition: Alternating series**

An infinite series of the form of

(a) 
$$\sum_{k=1}^{\infty} (-1)^k a_k$$

(b) 
$$\sum_{k=1}^{\infty} (-1)^{k+1} a_k$$

where  $a_k > 0$ 


## Theorem (Alternating Series Test): Alternating series with diminishing oscillation converges


An alternating series converges if the following two conditions are satisfied:

(a) 
$$a_K > a_{K+1} > a_{K+2} > a_{K+3} > \cdots$$

(b) 
$$\lim_{k\to\infty} a_k = 0$$

- $s_1, s_3, s_5, \dots, s_{2n-1}, \dots : \{s_{2n-1}\}$  is decreasing sequence bounded below by 0.
- $s_2, s_4, s_6, \dots, s_{2n}, \dots : \{s_{2n}\}$  is increasing sequence bounded above by  $a_1$ .
- Since bounded monotone sequences converge both  $\{s_{2n-1}\}$  and  $\{s_{2n}\}$  converge.
- $\lim_{n\to\infty} (s_{2n} s_{2n-1}) = \lim_{n\to\infty} a_{2n} = 0$
- $\lim_{n\to\infty} s_{2n} = \lim_{n\to\infty} s_{2n-1} \Rightarrow \lim_{n\to\infty} s_n$  converges





+/- terms but Not alternating

## Definition: Absolute convergence for general mixed sign series

- A series  $\sum u_k(u_k)$  be positive or negative) is said to **converge absolutely** if  $\sum |u_k|$  converges
- A series  $\sum u_k(u_k)$  be positive or negative) is said to **converge conditionally** if  $\sum u_k$  converges but  $\sum |u_k|$  diverges

### **Absolute convergence Theorem**

If  $\sum |u_k|$  converges then  $\sum u_k$  converges

- If  $\sum u_k$  diverges, then  $\sum |u_k|$  diverges
- If  $\sum |u_k|$  converges then  $\lim_{k \to \infty} u_k = 0$


Write  $\sum_{k=1}^{\infty} u_k = \sum_{k=1}^{\infty} [(u_k + |u_k|) - |u_k|]$ 

- Since  $0 \le u_k + |u_k| \le 2|u_k|$  and  $\sum_{k=1}^{\infty} 2|u_k| = 2\sum_{k=1}^{\infty} |u_k|$  (converges), by comparison test  $\sum_{k=1}^{\infty} (u_k + |u_k|)$  converges
- Now that  $\sum_{k=1}^{\infty}(u_k+|u_k|)$  converge, and  $\sum_{k=1}^{\infty}|u_k|$  converges, by the limit theorem of series,  $\sum_{k=1}^{\infty}u_k=\sum_{k=1}^{\infty}[(u_k+|u_k|)-|u_k|]$  converges
  - $\sum a_k = S_a$  and  $\sum b_k = S_b \implies \sum (a_k + b_k) = S_a + S_b$

Does $\sum_{n=1}^{\infty} \frac{\ln n}{n^3}$  converge? If so, how?

+/- terms but Not alternating

⇒ Absolute convergence



Does 
$$\sum_{n=1}^{\infty} \frac{2+\sin n}{n^2}$$
 converge? If so, how?

Does 
$$\sum_{n=1}^{\infty} \frac{2+\sin n}{n}$$
 converge? If so, how?

Does 
$$\sum_{n=2}^{\infty} \frac{2+\sin n}{n \ln n}$$
 converge?  
If so, how?

Since

$$\begin{split} & \sum_{n=1}^{\infty} \frac{1}{n^2} \leq \sum_{n=1}^{\infty} \frac{2 + \sin n}{n^2} \leq \sum_{n=1}^{\infty} \frac{3}{n^2} \\ & \text{and } \sum_{n=1}^{\infty} \frac{1}{n^2} = \sum_{n=1}^{\infty} \frac{3}{n^2} < \infty, \\ & \sum_{n=1}^{\infty} \frac{2 + \sin n}{n^2} < \infty \end{split}$$

Since 
$$\sum_{n=2}^{\infty} \frac{k}{n} = \infty$$
,  $\sum_{n=1}^{\infty} \frac{2+\sin n}{n} = \infty$ 

Since 
$$\sum_{n=2}^{\infty} \frac{k}{n \ln n} = \infty$$
,  $\sum_{n=1}^{\infty} \frac{2 + \sin n}{n^2} = \infty$ 

Suppose  $\sum_{n=1}^{\infty} a_n$  and  $\sum_{n=1}^{\infty} b_n$  are series with positive terms and  $\lim_{n\to\infty} \frac{a_n}{b_n} = 0$ . Circle the true statement(s):

If 
$$\sum_{n=1}^{\infty} b_n$$
 is convergent, then  $\sum_{n=1}^{\infty} a_n$  is convergent.  
If  $\sum_{n=1}^{\infty} b_n$  is divergent, then  $\sum_{n=1}^{\infty} a_n$  is divergent.  
If  $\sum_{n=1}^{\infty} a_n$  is convergent, then  $\sum_{n=1}^{\infty} b_n$  is divergent.  
If  $\sum_{n=1}^{\infty} b_n$  is convergent, then  $\sum_{n=1}^{\infty} a_n$  is divergent.  
There is not enough information.

Does  $\sum_{n=1}^{\infty} \frac{n}{(n+1)(n+2)}$  converge? If so, how?

Which of the following statements is true for the following series?

(I) 
$$\sum_{n=1}^{\infty} \frac{(-1)^n}{n+1}$$

(II) 
$$\sum_{n=2}^{\infty} \frac{(-1)^n}{n(\ln n)^3}$$

$$(III) \sum_{n=1}^{\infty} \frac{e^n}{(-1)^n n}$$

- (a) I and III converge conditionally, and II diverges.
- (b) I converges conditionally, II converges absolutely, and III diverges.
- (c) I and II converge conditionally, and III diverges.
- (d) I, II, and III converge conditionally.
- (e) I, II, and III converge absolutely.

Does  $\sum_{n=1}^{\infty} \frac{(-1)^{n+1}(3n+1)}{n!}$  converge? If so, how?

Does $\sum_{n=1}^{\infty} \frac{2^n}{3^n + n^2}$  converge? If so, how?

(10 points) Determine whether the following series is absolutely convergent, conditionally convergent, or divergent. Show all work, as illustrated in class, by naming the test(s), applying the test(s), and drawing the correct conclusion(s).

$$\sum_{n=1}^{\infty} \frac{(-1)^n n}{n^2 + 1}$$

Determine whether the series converges or diverges. Justify.

$$\sum_{n=1}^{\infty} n^3 \sin\left(\frac{1}{n^3}\right)$$

Determine whether the series converges or diverges. Justify.

$$\sum_{n=1}^{\infty} n \sin\left(\frac{1}{n^3}\right)$$