

## Week in Review Math 152

Week 12

Test 3 Review

- 2. Using the Alternating Series Estimation Theorem and the MacLaurin series for  $f(x) = \sin x$ , which of the following is an approximation to  $\sin(1)$  so that the error is less than or equal to  $\frac{1}{6!}$  with the fewest number of terms?

  - (a)  $1 \frac{1}{3!} + \frac{1}{5!}$ (b)  $1 \frac{1}{3!} + \frac{1}{5!} \frac{1}{7!}$
  - (c)  $1 \frac{1}{3!} + \frac{1}{5!} \frac{1}{7!} + \frac{1}{9!} \frac{1}{11!}$
  - (d)  $1 \frac{1}{2!} + \frac{1}{4!}$
  - (e)  $1 \frac{1}{2!} + \frac{1}{4!} \frac{1}{6!}$

3. The series  $\sum_{n=1}^{\infty} c_n(x+1)^n$  converges when x=-4. Which of the following series is guaranteed to converge?  $^{n=}$ 

(I) 
$$\sum_{n=1}^{\infty} c_n \cdot 0^n$$

(II) 
$$\sum_{n=1}^{\infty} c_n$$

(III) 
$$\sum_{n=1}^{\infty} c_n 2^n$$

(I) 
$$\sum_{n=1}^{\infty} c_n \cdot 0^n$$
 (II) 
$$\sum_{n=1}^{\infty} c_n$$
 (III) 
$$\sum_{n=1}^{\infty} c_n 2^n$$
 (IV) 
$$\sum_{n=1}^{\infty} c_n 3^n$$

- (a) I and II only
- (b) I, II, and III only
- (c) II and III only
- (d) II, III, and IV only
- (e) I, II, III and IV

- 4. Which of the following statements is true regarding the series  $\sum_{n=1}^{\infty} \sin\left(\frac{1}{n^2}\right)$ ?
  - (a) The Ratio Test shows that the series is convergent.
  - (b) The Ratio Test shows that the series is divergent.
  - (c) The Limit Comparison Test shows that the series is convergent.
  - (d) The Limit Comparison Test shows that the series is divergent.
  - (e) The Limit Comparison Test is inconclusive.

6. Which of the following statements is true for the following series?

(I) 
$$\sum_{n=1}^{\infty} \frac{(-1)^n}{n+1}$$

(I) 
$$\sum_{n=1}^{\infty} \frac{(-1)^n}{n+1}$$
 (II)  $\sum_{n=2}^{\infty} \frac{(-1)^n}{n(\ln n)^3}$ 

$$(\text{III}) \sum_{n=1}^{\infty} \frac{e^n}{(-1)^n n}$$

- (a) I and III converge conditionally, and II diverges.
- (b) I converges conditionally, II converges absolutely, and III diverges.
- (c) I and II converge conditionally, and III diverges.
- (d) I, II, and III converge conditionally.
- (e) I, II, and III converge absolutely.

- 1. Which of the following is true regarding the series  $\sum_{n=1}^{\infty} \frac{5n \cdot 3^n}{4^n}$ .
  - (a) The Ratio Test limit is  $\frac{3}{4}$ , so the series converges.
  - (b) The Ratio Test limit is  $\frac{3}{4}$ , so the series diverges.
  - (c) The Ratio Test limit is <sup>15</sup>/<sub>4</sub>, so the series diverges.
  - (d) The Ratio Test limit is <sup>15</sup>/<sub>4</sub>, so the series converges.
  - (e) The Ratio Test limit is  $\frac{9}{4}$ , so the series diverges.

- 2. Find the Maclaurin series for the function  $f(x) = x^2 e^{-x^3}$ .
  - (a)  $\sum_{n=0}^{\infty} \frac{(-1)^n x^{3n+2}}{n!}$
  - (b)  $\sum_{n=0}^{\infty} \frac{x^{3n+6}}{n!}$
  - (c)  $\sum_{n=0}^{\infty} \frac{(-1)^n x^{3n+6}}{n!}$
  - (d)  $\sum_{n=0}^{\infty} \frac{x^{5n}}{n!}$
  - (e)  $\sum_{n=0}^{\infty} \frac{x^{3n+2}}{n!}$

3. Find the 3rd degree Taylor polynomial,  $T_3(x)$ , for the function  $f(x) = \ln x$  centered at a = 6.

(a) 
$$T_3(x) = \ln 6 + \frac{1}{6}(x-6) - \frac{1}{36}(x-6)^2 + \frac{1}{108}(x-6)^3$$

(b) 
$$T_3(x) = \ln 6 + \frac{1}{6}(x-6) - \frac{1}{72}(x-6)^2 + \frac{1}{648}(x-6)^3$$

(c) 
$$T_3(x) = \ln 6 + \frac{1}{6}(x-6) - \frac{1}{6}(x-6)^2 + \frac{1}{36}(x-6)^3$$

(d) 
$$T_3(x) = \ln 6 + \frac{1}{6}(x-6) - \frac{1}{36}(x-6)^2 + \frac{1}{216}(x-6)^3$$

(e) 
$$T_3(x) = \ln 6 + \frac{1}{6}(x-6) - \frac{1}{6}(x-6)^2 + \frac{1}{12}(x-6)^3$$

- 4. Find a power series representation for  $f(x) = \frac{x}{x+4}$  and its radius of convergence.
  - (a)  $\sum_{n=0}^{\infty} \frac{x^{n+1}}{4^{n+1}}$ , R=4
  - (b)  $\sum_{n=0}^{\infty} \frac{x^{n+1}}{4^{n+1}}$ ,  $R = \frac{1}{4}$
  - (c)  $\sum_{n=0}^{\infty} \frac{(-1)^n x^n}{4^{n+1}}$ , R = 4
  - (d)  $\sum_{n=0}^{\infty} \frac{(-1)^n x^{n+1}}{4^{n+1}}, \ R = \frac{1}{4}$
  - (e)  $\sum_{n=0}^{\infty} \frac{(-1)^n x^{n+1}}{4^{n+1}}$ , R = 4

- 5. Find the interval of convergence of the series  $\sum_{n=0}^{\infty} \frac{n!(x+4)^n}{3^n}$ .
  - (a)  $\{0\}$
  - (b)  $(-\infty, \infty)$
  - (c) (-7, -1)
  - (d) (-4,4)
  - (e)  $\{-4\}$

- 6. Suppose that  $0 < a_n < b_n$  for all  $n \ge 1$ . Which of the following statements is always true?
  - (a) If  $\sum_{n=1}^{\infty} b_n$  is divergent, then so is  $\sum_{n=1}^{\infty} a_n$ .
  - (b) If  $\sum_{n=1}^{\infty} a_n$  is convergent, then so is  $\sum_{n=1}^{\infty} b_n$ .
  - (c) If  $\lim_{n\to\infty} b_n = 0$ , then  $\sum_{n=1}^{\infty} a_n$  is convergent.
  - (d) If  $\sum_{n=1}^{\infty} a_n$  is divergent, then so is  $\sum_{n=1}^{\infty} b_n$ .
  - (e) If  $\lim_{n\to\infty} a_n = 0$ , then  $\lim_{n\to\infty} b_n = 0$ .

- 7. Which of the following statements is true for the series  $\sum_{n=1}^{\infty} \frac{3+\sin n}{n^5+1}$ ?
  - (a) The series converges since  $\frac{3+\sin n}{n^5+1} < \frac{3}{n^5}$  and  $\sum_{n=1}^{\infty} \frac{3}{n^5}$  converges.
  - (b) The series converges since  $\frac{3+\sin n}{n^5+1} > \frac{2}{n^5}$  and  $\sum_{n=1}^{\infty} \frac{2}{n^5}$  converges.
  - (c) The series diverges since  $\frac{3+\sin n}{n^5+1} > \frac{2}{n^5}$  and  $\sum_{n=1}^{\infty} \frac{2}{n^5}$  diverges.
  - (d) The series converges since  $\frac{3+\sin n}{n^5+1} < \frac{4}{n^5}$  and  $\sum_{n=1}^{\infty} \frac{4}{n^5}$  converges.
  - (e) None of these.

8. The alternating series  $\sum_{n=1}^{\infty} \frac{(-1)^n}{(n+2)^2}$  converges.

Use the Alternating Series Estimation Theorem to determine an upper bound on the absolute value of the error in using  $s_5$  to approximate the sum of the series.

- (a)  $\frac{1}{8}$
- (b)  $\frac{1}{9}$
- (c)  $\frac{1}{64}$
- (d)  $\frac{1}{81}$
- (e)  $\frac{1}{35}$

9. Consider the series below, which statement is true regarding the absolute convergence of each series?

(I) 
$$\sum_{n=1}^{\infty} \frac{(-2)^n}{3^{n+1}}$$

(I) 
$$\sum_{n=1}^{\infty} \frac{(-2)^n}{3^{n+1}}$$
 (II)  $\sum_{n=1}^{\infty} \frac{(-1)^n n}{n^2 + 3}$ 

- (a) (I) converges but not absolutely, (II) converges absolutely.
- (b) Both (I) and (II) converge but not absolutely.
- (c) Both (I) and (II) converges absolutely.
- (d) (I) converges abolutely, (II) diverges.
- (e) (I) converges absolutely, (II) converges but not absolutely.

10. For which series is the ratio test inconclusive?

(a) 
$$\sum_{n=2}^{\infty} \frac{(-1)^n}{3^n \sqrt{\ln n}}$$

(b) 
$$\sum_{n=1}^{\infty} \frac{(-1)^n}{n^5}$$

(c) 
$$\sum_{n=1}^{\infty} ne^{-n}$$

(d) 
$$\sum_{n=1}^{\infty} \frac{n}{2^n}$$

(e) 
$$\sum_{n=1}^{\infty} \frac{n+2}{n!}$$

- 11. Find the sum of the series  $\sum_{n=0}^{\infty} \frac{(-1)^n 3^{2n}}{4^{2n} (2n)!}$ 
  - (a)  $\cos(\frac{3}{4})$
  - (b)  $3\cos(\frac{3}{4})$
  - (c)  $\sin(\frac{3}{4})$
  - $(d) \cos 3$
  - (e) sin 3

12. The series  $\sum_{n=0}^{\infty} c_n x^n$  converges when x=4 and diverges when x=-7. What can be said about the convergence of the following series?

(I) 
$$\sum_{n=2}^{\infty} c_n 9^n$$

(I) 
$$\sum_{n=2}^{\infty} c_n 9^n$$
 (II)  $\sum_{n=2}^{\infty} c_n (-4)^n$ 

- (a) Both (I) and (II) are inconclusive.
- (I) diverges, (II) converges.
- (I) diverges, (II) is inconclusive.
- (d) Both (I) and (II) converge.
- (e) (I) is inconclusive, (II) converges.

- 13. Find the coefficient of  $x^3$  in the Maclaurin series for the function  $f(x) = \sin(2x)$ .
  - (a)  $\frac{4}{3}$
  - (b)  $-\frac{4}{3}$
  - (c)  $\frac{2}{3}$
  - (d)  $-\frac{2}{3}$
  - (e)  $\frac{1}{3}$

- 14. Which of the following statements is true for the series  $\sum_{n=1}^{\infty} \frac{(-1)^n n^2}{n^2 + 1}$ 
  - (a) The series converges absolutely.
  - (b) The series converges but not absolutely.
  - (c) The series diverges by the alternating series test.
  - (d) The series diverges by the test for divergence.
  - (e) None of these.

15. Evaluate the indefinite integral  $\int \arctan(4x^3) dx$  as a Maclaurin series.

(a) 
$$C + \sum_{n=0}^{\infty} \frac{(-1)^n 4^{2n+2} x^{6n+6}}{(2n+1)(2n+2)}$$

(b) 
$$C + \sum_{n=0}^{\infty} \frac{(-1)^n 4^{2n+1} x^{6n+6}}{(2n+1)(2n+2)}$$

(c) 
$$C + \sum_{n=0}^{\infty} \frac{(-1)^n 4^{2n+2} x^{6n+4}}{(2n+1)(6n+4)}$$

(d) 
$$C + \sum_{n=0}^{\infty} \frac{(-1)^n 4^{6n+4} x^{6n+4}}{(2n+1)(6n+4)}$$

(e) 
$$C + \sum_{n=0}^{\infty} \frac{(-1)^n 4^{2n+1} x^{6n+4}}{(2n+1)(6n+4)}$$

- 16. (12 pts) Find (a) the Radius of convergence and
  - (b) Interval of convergence of the power series  $\sum_{n=2}^{\infty} \frac{(3x-1)^n}{8^n(n-1)}$ .

17. (8 pts) Find the Taylor Series for  $f(x) = \frac{1}{x^3}$  centered at x = 2.

18. (12 pts) Express  $\int_0^{1/2} \cos(x^2) dx$  as an infinite series.

19. (8 pts) Determine whether the series  $\sum_{n=1}^{\infty} \frac{\sqrt{n}+5}{n^3-2n}$  converges or diverges. Support your answer.